

For more research on SBIRT:

- Academic ED SBIRT Research Collaborative. (2007). The impact of screening, brief intervention, and referral for treatment on emergency department patients' alcohol use. *Annals of Emergency Medicine, 50*, 699-710.
- Academic ED SBIRT Research Collaborative. (2005). An evidence-based alcohol screening, brief intervention, and referral to treatment (SBIRT) curriculum for emergency department (ED) providers improves skills and utilization. *Substance Abuse, 28*(4), 79-92.
- Amrhein, P., Miller, W., Yahne, C., Palmer, M., & Fulcher, L. (2003). Client commitment language during motivational interviewing predicts drug use outcomes. *Journal of Consulting and Clinical Psychology, 71*(5), 862-878.
- Apodaca, T., Miller, W., Schermer, C., & Amrhein, P. (2007). A pilot study of bibliotherapy to reduce alcohol problems among patients in a hospital trauma center. *Journal of Addictions Nursing, 18*, 167-173.
- Beich, A., Gannik, D., Saelan, H., & Thorsen, T. (2007). Screening and brief intervention targeting risky drinkers in Danish general practice – A pragmatic controlled trial. *Alcohol & Alcoholism, 42*(6), 593-603.
- Bernstein, E., & Bernstein, J. (2005). Preventing alcohol misuse among adolescents. *Annals of Emergency Medicine, 45*, 430-432.
- Bernstein, E., & Bernstein, J. (2008). Effectiveness of alcohol screening and brief motivational intervention in the emergency department setting. *Annals of Emergency Medicine, 51*(6), 751-754.
- Bernstein, E., Bernstein, J., Fernandez, W., & D'Onofrio, G. (2011). Alcohol and other drugs of abuse. In J. E. Tintinalli, et al. (Eds.), *Emergency medicine: A comprehensive study guide* (7th ed., pp. 1967-1974). New York: McGraw Hill.
- Bernstein, E., Bernstein, J., & Levenson, S. (1997). Project ASSERT: An ED-based intervention to increase access to primary care, preventive services, and the substance abuse treatment system. *Annals of Emergency Medicine, 30*(2), 181-189.
- Bernstein, E., Bernstein, J., Stein, J., & Saitz, R. (2009). SBIRT in emergency care settings: Are we ready to take it to scale? *Academic Emergency Medicine, 16*(11), 1072-1077.
- Bernstein, E., Burton, G., Bernstein, J., Barry, D., Dyson-Mounds, J., Payne, S., et al. (1996). Project ASSERT: An ED model of health promotion and substance abuse detection, intervention, and referral to treatment. In E. Bernstein & J. Bernstein (Eds.), *Case studies in emergency medicine and the health of the public* (pp. 270-279). Sudbury, MA: Jones and Bartlett Publishers.
- Bernstein, E., Edwards, E., Dorfman, D., Heeren, T., Bliss, C., & Bernstein, J. (2009). Screening and brief intervention to reduce marijuana use among youth and young adults in a pediatric emergency department. *Academic Emergency Medicine, 16*(11), 1174-1185.
- Bernstein, E., Topp, D., Shaw, E., Girard, C., Pressman, K., Woolcock, E., et al. (2009). A preliminary report of knowledge translation: Lessons from taking screening and brief intervention techniques

from the research setting into regional systems of care. *Academic Emergency Medicine*, 16(11), 1225-1233.

- Bernstein, J., Bernstein, E., Tassiopoulos, K., Heeren, T., Levenson, S., & Hingson, R. (2005). Brief motivational intervention at a clinic visit reduces cocaine and heroin use. *Drug and Alcohol Dependence*, 77, 49-59.
- Bernstein, J., Graczyk, A., Lawrence, D., Bernstein, E., & Strunin, L. (2011). Determinants of drinking trajectories among minority youth and young adults: The interaction of risk and resilience. *Youth and Society*, 43(4), 1199-1219.
- Bertholet, N., Daeppen, J., Wietlisbach, V., Fleming, M., & Burnand, B. (2005). Reduction of alcohol consumption by brief alcohol intervention in primary care: Systematic review and meta-analysis. *Archives of Internal Medicine*, 165, 986-995.
- Blow, F., Barry, K., Walton, M., Maio, R., Chermack, S., Bingham, C., et al. (2006). The efficacy of two brief intervention strategies among injured, at-risk drinkers in the emergency department: Impact of tailored messages and brief advice. *Journal of Studies on Alcohol*, 67(4), 568-578.
- Bray, J., Zarkin, G., Davis, K., Mitra, D., Higgins-Biddle, J., Babor, T., et al. (2007). The effect of screening and brief intervention for risky drinking on health care utilization in managed care organizations. *Medical Care*, 45(2), 177-182.
- Burke, B., Arkowitz, H., & Menchola, M. (2003). The efficacy of motivational interviewing: A meta-analysis of controlled clinical trials. *Journal of Consulting & Clinical Psychology*, 71(5), 843-861.
- Bush, K., Kivlahan, D., McDonell, M., Fihn, S., & Bradley, K. (1998). The AUDIT alcohol consumption questions (AUDIT-C): An effective brief screening test for problem drinking. *Archives of Internal Medicine*, 158(16), 1789-1795.
- Chafetz, M., Blane, H., Abram, H., Golner, J., Lacy, E., McCourt, W., et al. (1962). Establishing treatment relations with alcoholics. *Journal of Nervous and Mental Disease*, 134, 395-409.
- D'Onofrio, G., & Degutis, L. (2002). Preventive care in the emergency department: Screening and brief intervention for alcohol problems in the emergency department: A systemic review. *Academic Emergency Medicine*, 9, 627-638.
- D'Onofrio G., Nadel, E., Degutis, L., Sullivan, L., Casper, K., Bernstein, E., et al. (2002). Improving emergency medicine residents' approach to patients with alcohol problems: A controlled educational trial. *Academic Emergency Medicine*, 40, 50-62.
- D'Onofrio, G., Bernstein, E., Bernstein, J., Woolard, R., Brewer, P., Craig, S., et al. (1998). Patients with alcohol problems in the emergency department, part 1: Improving detection. *Academic Emergency Medicine*, 5(12), 1200-1209.
- D'Onofrio, G., Bernstein, E., Bernstein, J., Woolard, R., Brewer, P., Craig, S., et al. (1998). Problems in the emergency department, part II: Intervention and referral. *Academic Emergency Medicine*, 5(12), 1210-1217.

- D'Onofrio, G., Pantalon, M., Degutis, L., Feillin, D., & O'Connor, P. (2005). Development and implementation of an emergency practitioner-performed brief intervention for hazardous and harmful drinkers in the emergency department. *Academic Emergency Medicine*, 12(3), 249-256.
- Daepfen, J. B., Gaume, J., Bady, P., Yersin, B., Calmes, J. M., Givel, J. C., et al. (2007). Brief alcohol intervention and alcohol assessment do not influence alcohol use in injured patients treated in the emergency department: A randomized controlled clinical trial. *Addiction*, 102(8), 1224-1233.
- Dawson, D., Grant, B., & Li T. K. (2005). Quantifying the risks associated with exceeding recommended drinking limits. *Alcoholism: Clinical and Experimental Research*, 29(5), 902-908.
- Dawson, D., Grant, B., Stinson, F., Chou, P., Huang, B., & Ruan, J. (2005). Recovery from DSM-IV alcohol dependence: United States, 2001-2002. *Addiction*, 100(3), 281-292.
- Donovan, J. (2004). Adolescent alcohol initiation: A review of psychosocial risk factors. *Journal of Adolescent Health*, 35(6), 529.e7-529.e18.
- Dunn, C., Zatzick, D., Russo, J., Rivara, F., Roy-Byrne, P., Ries, R., et al. (2003). Hazardous drinking by trauma patients during the year after injury. *Journal of Trauma*, 54(4), 707-712.
- Dunn, C., Deroo, L., & Rivara, F. (2001). The use of brief interventions adapted from motivational interviewing across behavioral domains: A systematic review. *Addiction*, 96, 1725-1742.
- Duran, L. (2003). Motivating health: Strategies for the nurse practitioner. *Journal of the American Academy of Nurse Practitioners*, 15(5), 200-205.
- Fleming, M., Barry, K., Manwell, L., Johnson, K., & London, R. (1997). Brief physician advice for problem alcohol drinkers: A randomized controlled trial in community-based primary care practices. *Journal of the American Medical Association*, 277(13), 1039-1045.
- Fleming, M., Mundt, M., French, M., Manwell, L., Stauffacher, E., & Barry, K. (2000). Benefit-cost analysis of brief physician advice with problem drinkers in primary care settings. *Medical Care*, 38, 7-18.
- Gentilello, L., Rivara, F., Donovan, D., Jurkovich, G., Daranciang, E., Dunn, C., et al. (1999). Alcohol interventions in a trauma center as a means of reducing the risk of injury recurrence. *Annals of Surgery*, 230(4), 473-480.
- Hettema, J., Steele, J., & Miller, W. (2005). Motivational interviewing. *Annual Review of Clinical Psychology*, 1, 91-111.
- Hingson, R., Heeren, T., & Winter, M. (2006). Age at drinking onset and alcohol dependence: Age at onset, duration, and severity. *Archives of Pediatric Adolescent Medicine*, 160(7), 739-746.
- Holloway, A., Watson, H., Arthur, A., Starr, G., McFadyen, A., & McIntosh, J. (2007). The effect of brief interventions on alcohol consumption among heavy drinkers in a general hospital setting. *Addiction*, 102(11), 1762-1770.
- Hungerford, D., Pollack, D., & Todd, K. (2001). Acceptability of emergency department based screening and brief intervention for alcohol problems. *Academic Emergency Medicine*, 7, 1383-1392.

- Hyman, Z. (2006). Brief interventions for high-risk drinkers. *Journal of Clinical Nursing, 15*(11), 1383-1396.
- Kunz, F. M., French, M., & Bazargan-Hejazi, S. (2004). Cost-effectiveness analysis of a brief intervention delivered to problem drinkers presenting at an inner-city hospital emergency department. *Journal of Studies on Alcohol, 65*(3), 363-370.
- Longabaugh, R., Woolard, R., Nirenberg, T., Minugh, A., Becker, B., Clifford, P., et al. (2001). Evaluating the effects of a brief motivational intervention for injured drinkers in the emergency department. *Journal of Studies on Alcohol, 62*(6), 806-816.
- Lowman, C., & Le Fauve, C. (2003). Health disparities and the relationship between race, ethnicity, and substance abuse treatment outcomes. *Alcoholism: Clinical and Experimental Research, 27*(8), 1324-1326.
- Madras, B., Compton, W., Avula, D., Stegbauer, T., Stein, J., & Clark, H. W. (2008). Screening, brief interventions, referral to treatment (SBIRT) for illicit drug and alcohol use at multiple healthcare sites: Comparison at intake and 6 months later. *Drug and Alcohol Dependence, 99*, 280-295.
- McLellan, A., & Lewis, D. (2000). Drug dependence, a chronic medical illness: Implications for treatment, insurance, and outcome evaluation. *Journal of the American Medical Association, 284*, 1689-1695.
- Mello, M., Nirenberg, T., Longabaugh, R., Woolard, R., Minugh, A., Becker, B., et al. (2005). Emergency Department brief motivational interventions for alcohol with motor vehicle crash patients. *Annals of Emergency Medicine, 45*, 620-625.
- Miller, W., Yahne, C., & Tonigan, J. (2003). Motivational interviewing in drug abuse services: A randomized trial. *Journal of Consulting and Clinical Psychology, 71*(4), 754-763.
- Miller, W. R. (1999). Enhancing motivation for change in substance abuse treatment. In *Treatment Improvement Protocol (TIP) Series #35*. (SMA 99-3354). Rockville, MD: U.S. Department of Health and Human Services.
- Miller, W. R., & Rollnick, S. (2002). *Motivational interviewing: Preparing people for change* (2nd ed.). New York: Guilford Press.
- Monti, P., Barnett, A., Colby, S., Gwaltney, C., Spirito, A., Rohsenow, D., et al. (2007). Motivational interviewing versus feedback only in emergency care for young adult problem drinking. *Addiction, 102*(8), 1234-1243.
- Monti, P., Colby S., Barnett, M., Spirito, A., Rohsenow, D., Myers, M., et al. (1999). Brief intervention for harm reduction with alcohol-positive older adolescents in a hospital emergency department. *Journal of Consulting and Clinical Psychology, 67*(6), 989-994.
- Neumann, T., Neuner, B., Weiss-Gerlach, E., Tonnesen, H., Gentilello, L., Wernecke, K., et al. (2006). The effect of computerized tailored brief advice on at-risk drinking in subcritically injured trauma patients. *Journal of Trauma, 61*(4), 805-814.

- Nordqvist, C., Wilhelm, E., Lindqvist, K., & Brendtsen, P. (2005). Can screening and simple written advice reduce excessive alcohol consumption among emergency care patients? *Alcohol & Alcoholism, 40*(5), 401-408.
- Ockene, J., Adams, A., Hurley, T., Wheeler, E., & Hebert, J. (1999). Brief physician- and nurse practitioner-delivered counseling for high-risk drinkers: Does it work? *Archives of Internal Medicine, 159*(18), 2198-2205.
- Reiff-Hekking, S., Ockene, J., Hurley, T., & Reed, G. (2005). Brief physician and nurse practitioner-delivered counseling for high-risk drinking: Results at 12-month follow up. *Journal of General Internal Medicine, 20*, 7-13.
- Rodriguez-Martos Dauer, A., Santamarina Rubio, E., Escayola Coris, M., & Marti Valls, J. (2006). Brief intervention in alcohol-positive traffic casualties: Is it worth the effort? *Alcohol & Alcoholism, 41*, 76-83.
- Rollnick, S., Mason, P., & Butler, C. (1999). *Health behavior change: A guide for practitioners*. New York: Churchill Livingstone.
- Rubak, S., Sandbaek, A., Lauritzen, T., & Christensen, B. (2005). Motivational interviewing: A systematic review and meta-analysis. *British Journal of General Practice, 55*(513), 305-312.
- Saitz, R., Svikis, D., D'Onofrio, G., Kraemer, K., & Perl, H. (2006). Challenges applying alcohol brief intervention in diverse practice settings: Populations, outcomes, and costs. *Alcoholism: Clinical and Experimental Research, 30*(2), 332-338.
- Sobell, M., & Sobell, L. (1998). Guided self change. In W. R. Miller & N. Heather (Eds.), *Treating Addictive Behaviors* (2nd ed.). New York: Plenum Press.
- Sommers, M., Dyehouse, J., Howe, S., Fleming, M., Fargo, J., & Schafer, J. (2006). Effectiveness of brief interventions after alcohol-related vehicular injury: A randomized controlled trial. *Journal of Trauma, 61*(3), 523-533.
- Vasilaki, E., Hosier, S., & Cox, W. (2006). The efficacy of motivational interviewing as a brief intervention for excessive drinking: A meta-analytic review. *Alcohol and Alcoholism, 41*(3), 328-335.
- Wahab, S. (2005). Motivational interviewing and social work practice. *Journal of Social Work, 5*, 45-60.
- Whitlock, E., Polen, M., Green, C., Orleans, T., & Klein, J. (2004). Behavioral counseling interventions in primary care to reduce risky/harmful alcohol use by adults: A summary of the evidence for the U.S. Preventive Services Task Force. *Annals of Internal Medicine, 140*, 557-568.
- World Health Organization. (2009). Evolution of an emergency department-based collaborative intervention for excessive and dependent drinking: From one institution to nationwide dissemination, 1991-2006. In C. J. Cherpitel, et al. (Eds.), *Alcohol and injuries: Emergency department studies in an international perspective* (pp. 175-180). Geneva: WHO Press.